

SSD

Filterpropp










Livelli di rumore in dB 6 BAR
Noise level at 6 BAR

1/8	1/4	3/8	1/2	3/4	1
74	72	88	90	90	92

Livelli di rumore in dB 4 BAR
Noise level at 4 BAR

1/8	1/4	3/8	1/2	3/4	1
70	69	85	85	86	88

A	F	H	CH
1/8" BSP	6	15	13
1/4" BSP	7	18	16
3/8" BSP	8	20	19
1/2" BSP	10	22	24
3/4" BSP	10	26	30
1 BSP	12	28	36
M 5	4	8	8
1/8" FEM BSP	5	13	13



AIRTEC Pneumatic Sweden AB
Box 120, Gerfasts väg 6
S-283 22 Osby

Telefon 0479 - 126 00
Telefax 0479 - 127 19

Internet www.airtec.se
E-post mail@airtec.se


SQ

Ljuddämpare



Livelli di rumore in dB 6 BAR Noise level at 6 BAR					
1/8	1/4	3/8	1/2	3/4	1
80	79	83	85	95	95

Livelli di rumore in dB 4 BAR Noise level at 4 BAR					
1/8	1/4	3/8	1/2	3/4	1
77	76	82	84	91	92









A	E	F	L	H	CH
1/8" BSP	11,5	4,5	17	22	8
1/4" BSP	15	6	22	28	10
3/8" BSP	19	7	29	36	13
1/2" BSP	23	8	35	43	15
3/4" BSP	30	9	46	56	19
1" BSP	37	11	56	67	24
M5	8,5	5	15	20	Ø 7,5

AIRTEC Pneumatic Sweden AB
Box 120, Gerfasts väg 6
S-283 22 Osby

Telefon 0479 - 126 00
Telefax 0479 - 127 19

Internet www.airtec.se
E-post mail@airtec.se



SD

Ljuddämpare


Plastgranulat

Livelli di rumore in dB 6 BAR Noise level at 6 BAR					
1/8	1/4	3/8	1/2	3/4	1
87	84	90	90	91	90






Livelli di rumore in dB 4 BAR Noise level at 4 BAR					
1/8	1/4	3/8	1/2	3/4	1
84	81	83	83	85	85

A	B	F	L	H
1/8" BSP	15	6	26,5	32,5
1/4" BSP	19,5	8	35	43
3/8" BSP	24,5	11	47	58
1/2" BSP	24,5	11	47	58
3/4" BSP	48	18	97	115
1 BSP	48	18	97	115
1/8" FEM BSP	15	6	26,5	32,5

Resina acetalica
Acetalic resin
Resine acetalique
Acetal - harz



Pressione massima consigliata 6 BAR
We advice a maximum pressure of 6 BAR

AIRTEC Pneumatic Sweden AB
Box 120, Gerfasts väg 6
S-283 22 Osby

Telefon 0479 - 126 00
Telefax 0479 - 127 19

Internet www.airtec.se
E-post mail@airtec.se

**OBS! Ej lämplig
för snabba tryck-
stötter**


SD/F

Ljuddämpare Pappfilter



Livelli di rumore in dB 6 BAR Noise level at 6 BAR					
1/8	1/4	3/8	1/2	3/4	1
87	90	92	92		

Livelli di rumore in dB 4 BAR Noise level at 4 BAR					
1/8	1/4	3/8	1/2	3/4	1
85	86	87	87	88	88



A	B	C	D	E	CH
1/8" BSP	28	16	6	34	10
1/4" BSP	36	19	8	44	12
3/8" BSP	47	24	10	56	16
1/2" BSP	47	24	10	56	16

A richiesta con filtro in plastica porosa
On request with a porous plastic filter

AIRTEC Pneumatic Sweden AB
Box 120, Gerfasts väg 6
S-283 22 Osby

Telefon 0479 - 126 00
Telefax 0479 - 127 19

Internet www.airtec.se
E-post mail@airtec.se

